

Commercial Brochure



JTC OmniBlend Commercial is here to provide you with the right tools to make your mark in the hospitality industry. We believe in our products and stand by you from the point of sale to aftercare.

Our professional series blenders and accessories offered at competitive prices will give you a head start to make your business a success.



JTC OmniBlend V

Professional Series

with **OmniShield I**

or **OmniShield II**

The JTC OmniBlend V with the accompanying OmniShield I is a commercial hospitality industry favourite.

The OmniShield I sits on top of your worktop and is easily portable. Widely used by milkshake bars, café's, and bars, the OmniShield I **reduces blending noise by up to 80%** - not compromising your establishment's ambiance and the customer's experience. With built-in automated timers and pulse function, it's perfect for crushing ice in seconds, making milkshakes, smoothies, frappés, juices and cocktails.

The JTC OmniBlend V is also available with OmniShield II which differs from the OmniShield I by one feature; it has a outer lip on the housing of the OmniShield which fits perfectly inside your worktop, as a permanent longer term addition to your establishment.

JTC OmniBlend V Professional Series with OmniShield I



Features

- Powerful, industrial quality, high-speed 3HP motor with 950W power output
- Includes a virtually unbreakable BPA-free Eastman Tritan Co-polyester 1.5L jug with tamper tool
- One-touch 35, 60 & 90 second auto timers with High, Med, Low & Pulse functions
- Stackable jugs
- Simple to use and easy to clean

with OmniShield I
To place on top
your worktop

JTC TM-800AQ

Colour (s)



JTC OmniBlend V Professional Series with OmniShield II

Product Specifications

Width = 29cm
Depth = 26 cm
Height = 46 cm

Net Weight: 6.2kg
Gross Weight: 6.8 kg
Cord Length: 1.4m

with OmniShield II
To fit inside your
worktop



JTC TM-800AQ2

Colour (s)



www.jtcomniblend.com

5



JTC OmniBlend V

Professional Series

JTC OmniBlend V Professional Series + 1.5L BPA Free Jug

The JTC OmniBlend V in black is a powerful blender with a purpose. It not only boasts a 3HP motor, it has simple automated programme cycles that allow you to accomplish specific tasks with ease and precision. Widely used by milkshake bars, café's, restaurants and catering companies, the JTC OmniBlend V is perfect for crushing ice in seconds, making milkshakes, smoothies, frappés, juices and cocktails, grinding spices, preparation of sauces/dips. Sold with the stackable JTC 1.5L jug, it also allows you to save valuable countertop space.

Colour (s)



JTC TM-800A

Features

- Powerful, industrial quality, high-speed 3HP motor with 950W power output
- Includes a virtually unbreakable BPA-free Eastman Tritan Co-polyester 1.5 / 2.0L jug with tamper tool
- One-touch 35, 60 & 90 second auto timers with High, Med, Low & Pulse functions
- 1.5L Stackable jugs
- Simple to use and easy to clean



JTC OmniBlend V Professional Series + 2.0L BPA Free Jug

The JTC OmniBlend V in black with a 2.0L jug, is part of the JTC OmniBlend Professional series. It not only boasts a 3HP motor, it has simple automated programme cycles that allow you to accomplish specific tasks with ease and precision. Widely used by hotels, restaurants, pubs and catering companies, the JTC OmniBlend V with the 2.0L jug is perfect for behind-the-scenes food preparation and making larger quantities. The JTC OmniBlend V is a durable kitchen appliance that can puree, blend, chop, grind, mince, mix and even crush ice in seconds.



Product Specifications

Width = 19 cm
Depth = 21 cm
Height with 1.5L Jug = 41 cm
(49cm with tamper tool inserted)
Height with 2.0L Jug = 52cm
(58cm with tamper tool inserted)

Net Weight: 4.5kg
Gross Weight: 5 kg
Cord Length: 5.2m

Colour (s)



JTC TM-800



Accessories



JTC OmniShield I
JTCOS1



JTC OmniShield II
JTCOS2

Compatible with: JTC OmniBlend V 1.5L and JTC OmniBlend I 1.5L

Accessories

Compatible with: JTC OmniBlend I and JTC OmniBlend V.



JTC 1.5 BPA FREE JUG
JTC 1.5SPR



JTC 2.0 BPA FREE JUG
JTC 2.0SPR

Compatible with: JTC 1.5L
Spare Jug



1.5L Tamper Tool
1.5TT

Compatible with: JTC 2.0L
Spare Jug



2.0L Tamper Tool
2TT

Accessories

Compatible with: JTC OmniBlend I and JTC OmniBlend V and with 1.5L and 2.0L Spare Jugs



Blade Assembly
SPRBA



Drive Socket
SPRDS

The tightening tool is used to replace the blade assembly



JTC OmniBlend tightening tool
SPRDS

